

[10191/2301]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

HALUSCHKA et al.

Confirmation No.: 4719

Serial No.

10/088,933

Filed

July 17, 2002

For

SHEATHED ELEMENT GLOW PLUG HAVING AN IONIC CURRENT SENSOR AND A METHOD OF OPERATING SUCH A SHEATHED ELEMENT

GLOW PLUG

Examiner

V. Patel I hereby certify that this correspondence is being deposited with 3742the United States Postal Service as first class mail in an envelope

Art Unit

Customer No.

addressed to: Commissioner for Patents, P.O. Box 1450

26646 exandria, VA 22313-1450, on

6/25/04 Atty's Reg. # 41,172

Atty's Signature

5 magun ERVIS MAGISTRE YON & KENYON

Mail Stop Amendment Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

JUL 0 6 2004

RECEIVED

AMENDMENT TRANSMITTAL

TECHNOLOGY CENTER R3700

SIR:

Please find an Amendment transmitted herewith for filing in the above-identified patent application. Applicants respectfully request a two-month extension of time in which to respond to the office action dated January 29, 2004, for which a response period expiring on April 29, 2004 was set. The extended period expires on June 29, 2004.

Please charge the \$420.00 extension fee and any additional fees required to Deposit Account No. 11-0600. A duplicate copy of this Transmittal is enclosed.

Respectfully submitted,

	KENYON & KENYON By: L& 20th (B. No. 41,172)
Dated: Le[25/04	By: Richard L. Mayer Reg. No. 22,490
	One Breedway

One Broadway New York, NY 10004 (212) 425-7200





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

HALUSCHKA et al.

Confirmation No.: 4719

Serial No.

10/088,933

Filed

July 17, 2002

For

SHEATHED ELEMENT GLOW PLUG HAVING AN IONIC

CURRENT SENSOR AND A METHOD OF OPERATING

SUCH A SHEATHED ELEMENT GLOW PLUG

Examiner

V. Patel

Art Unit

3742

Customer No.

26646

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope

addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on

(0/25/04

Atty's Reg. # 41,172

Mail Stop Amendment Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Atty's Signature

DERVIS MAGISTRE KENYON & KENYON

AMENDMENT

SIR:

In response to the Office Action dated January 29, 2004, please amend the above-referenced application as set forth below.

Amendments to the Specification do not appear in this paper.

RECEIVED

JUL 0 6 2004

Amendments to the Claims do not appear in this paper.

TECHNOLOGY CENTER R3700

Amendments to the Drawings begin on page 2 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Remarks begin on page 3 of this paper.

06/30/2004 JBALINAN 00000046 110600 10088933

01 FC:1252

420.00 DA